

View Online at <https://aerobasegroup.com/nsn/4320-01-305-1506>

**Mounting Type:**

Flange

**Intake Connection Quantity:**

1

**Intake Connection Type:**

Threaded internal

**Discharge Connection Quantity:**

1

**Discharge Connection Type:**

Threaded internal

**Drive Connection Type:**

Gear

**Media For Which Designed:**

Hydrocarbon fuels and oils

**Maximum Discharge Flow Rate:**

13.8 gallons per minute

**Discharge Pressure:**

500.0 pounds per square inch gage

**Operating Speed At Rated Capacity:**

1800.0 revolutions per minute

**Pumping Element Operating Position:**

Horizontal

**Pump Rotation Direction:**

Clockwise

**Rotary Pump Design:**

Gear

**Operation Method:**

Powered

**Drive Shaft Type:**

Woodruff keyway

**Drive Shaft End Diameter:**

Between 0.243 inches and 0.245 inches

**Drive Shaft Length:**

1.250 inches

**Discharge Connection Thread Size And Series/type Designator:**

0.500-14 npt

**Intake Connection Thread Size And Series/type Designator:**

0.500-14 npt

**Special Features:**

O/a lg 5.093 in., 3.312 in. High, 3.500 in. Wide; tang shaft

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A19400