NSN 4320-01-313-5424

Centrifugal Pump Unit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4320-01-313-5424

Discharge Connection Quantity:
1
Discharge Connection Type:
Threaded internal
Current Type:
Ac
Pump Quantity:
1
Cooling Method:
Self ventilated
Maximum Discharge Flow Rate:
21.5 gallons per minute
Operating Speed At Rated Capacity:
3450.0 revolutions per minute
Pumping Element Operating Position:
Horizontal
Centrifugal Pump Design:
Mixed flow
Centrifugal Pump Impeller Quantity:
1
Prime Mover Type:
Electric motor
Discharge Connection Thread Size And Series/type Designator:
0.500-14 npt
Features Provided:
Self-priming Self-priming
Criticality Code Justification:
Zzzy
Voltage In Volts:
115.0 and 230.0 and 460.0
Phase:
Single/three
Frequency In Hertz:
60.0
Reference Number Differentiating Characteristics:
Material will be in accordance with ships parts control center activity hx quality control, manufacturing and testing specifications
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:
Yes - demil/mli

NSN 4320-01-313-5424

Centrifugal Pump Unit - Page 2 of 2



Fiig:

A19400