## NSN 4320-01-318-2450

Rotary Pump Unit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4320-01-318-2450

Prime Mover Quantity:		
1		
Prime Mover Cooling Medium: Air		
Intake Connection Quantity:		
1		
Intake Connection Type:		
Round flange		
Discharge Connection Quantity:		
1		
Discharge Connection Type:		
Round flange		
Current Type:		
Ac		
Media For Which Designed:		
Hydrocarbon fuels and oils		
Pump Quantity:		
1		
Cooling Method:		
Air to air cooled		
End Application:		
Power and hand pumps		
Maximum Discharge Flow Rate:		
10.0 gallons per minute		
Discharge Pressure:		
15.0 pounds per square inch gage		
Operating Speed At Rated Capacity:		
1750.0 revolutions per minute		
Pumping Element Operating Position:		
Horizontal		
Rotary Pump Design:		
Gear		
Prime Mover Type:		
Electric motor		
Inclosure Type:		
Fully enclosed		
Prime Mover Power Rating:		
1.000 horsepower		
Voltage In Volts:		
440.0		
Phase:		
Three		

## NSN 4320-01-318-2450

Rotary Pump Unit - Page 2 of 2



Frequency l	In F	lertz:
-------------	------	--------

60.0

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A19400