

View Online at <https://aerobasegroup.com/nsn/4320-01-320-2030>

**Mounting Type:**

Flange

**Cylinder Quantity:**

9

**Intake Connection Quantity:**

1

**Intake Connection Type:**

Threaded internal

**Discharge Connection Quantity:**

1

**Discharge Connection Type:**

Threaded internal

**Drive Connection Type:**

Close coupled

**Media For Which Designed:**

Hydrocarbon fuels and oils

**Pumping Element Type:**

Piston

**Cubic Measure:**

14.5000 cubic feet

**End Application:**

Used on oceanographic winch onboard 400 ft wagb c.G. Vessels

**Maximum Discharge Flow Rate:**

4.7 gallons per minute

**Discharge Pressure:**

5000.0 pounds per square inch gage

**Operating Speed At Rated Capacity:**

1800.0 revolutions per minute

**Pumping Element Operating Position:**

Horizontal

**Pump Rotation Direction:**

Clockwise

**Pump Reciprocating Design:**

Single acting

**Reciprocating Stroke Type:**

Variable

**Volume Control Type:**

Pressure compensation

**Control Location:**

Center

**Drive Shaft Type:**

Key type, external

**Drive Shaft End Diameter:**

0.750 inches

**Drive Shaft Length:**

1.100 inches

**Discharge Connection Thread Size And Series/type Designator:**

0.875-14 unf

**Intake Connection Thread Size And Series/type Designator:**

1.062-12 unf

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A19400