## NSN 4320-01-339-6786

Centrifugal Pump Unit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4320-01-339-6786

Prime Mover Quantity:
1
Prime Mover Cooling Medium:
Air
Stage Quantity:
1
Discharge Connection Quantity:
1
Discharge Connection Type:
Round flange
Current Type:
Ac
Pump Quantity:
1
End Application:
Inport salt water cooling pump used onboard 270 ft wmec c.G. Vessels
Maximum Discharge Flow Rate:
300.0 gallons per minute
Discharge Pressure:
213.0 pounds per square inch gage
Total Head:
92.000 feet
Suction Lift:
6.000 feet
Operating Speed At Rated Capacity:
3600.0 revolutions per minute
Pumping Element Operating Position:
Horizontal
Centrifugal Pump Design:
Mixed flow
Centrifugal Pump Impeller Quantity:
1
Centrifugal Pump Impeller Suction Type:
Single
Prime Mover Type:
Electric motor
Inclosure Type:
Fully enclosed
Current Rating In Amps:
14.0
Prime Mover Power Rating:

10.000 horsepower

## NSN 4320-01-339-6786

Centrifugal Pump Unit - Page 2 of 2



Voltage In Volts:
460.0
Phase:
Three
Frequency In Hertz:
60.0
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

**Fiig:** A19400