## NSN 4320-01-345-3940



Reciprocating Pump - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/4320-01-345-3940 **Mounting Type:** Base **Cylinder Quantity: Intake Connection Quantity: Intake Connection Type:** Threaded internal **Discharge Connection Quantity: Discharge Connection Type:** Threaded internal **Drive Connection Type:** Rigid coupled Media For Which Designed: Hydrocarbon fuels and oils **Pumping Element Type:** Piston **Storage Tempurature Range:** -60.0 to 200.0 degrees fahrenheit **End Application:** 1055-01-226-6338 **Discharge Pressure:** 2250.0 pounds per square inch gage **Pumping Element Operating Position:** Horizontal **Pump Reciprocating Design:** 

Double acting **End Item Name:** Launcher, mine clear **Reciprocating Stroke Type:** Variable **Operation Method:** Manual **Drive Shaft Type:** Plain round **Drive Shaft End Diameter:** 1.000 inches **Unpackaged Unit Length:** 10.500 inches **Unpackaged Unit Width:** 2.245 inches

## NSN 4320-01-345-3940

Reciprocating Pump - Page 2 of 2



Unpackaged Unit Height:
3.000 inches
Pump Basic Material:
Aluminum
Discharge Connection Thread Size And Series/type Designator:
0.438-20 un
Intake Connection Thread Size And Series/type Designator:
0.750-16 un
Special Features:
Displacement~0.7 cu. In/cycle;~media~temp~range~-25.0 deg~to~200.0 deg~f;~pump~handle~socket~has~fastening~pin~hole~0.020 in. Max;~travel~tr
60.0deg; 2 mtg holes 0.257in.Dia, 2.750in.Apart located 0.350 to 0.438 from bottom side
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A19400