NSN 4320-01-345-5136

Hydraulic Motor - Page 1 of 2

Thread Direction:



View Online at https://aerobasegroup.com/nsn/4320-01-345-5136

Tilleda Direction.
Right-hand
Torque Load Rating:
423.0 inch-pounds or 846.0 inch-pounds
Spline Major Diameter:
2.950 inches
Mounting Type:
Flange
Mounting Hole Diameter:
0.890 inches
Mounting Hole Quantity:
8
Thread Size:
18.0-1.5
Bolt Hole Quantity:
4 and 4
Operating Speed At Rated Capacity In Rpm:
180.0
Mounting Bolt Circle Diameter:
13.190 inches
Drive Shaft Type:
Splined, involute external
Shaft Rotation Direction:
Clockwise
Thread Location:
Internal
Shaft Protrusion Length:
2.760 inches
Connection Quantity:
1 and 1 and 1
Connection Type:
Inlet and outlet and drain
Connection Design:
Flanged and flanged and threaded
Spline Length:
1.820 inches
Displacement Type:
Variable
Special Features:
Drain connection is metric thread
Shelf Life:
N/a

NSN 4320-01-345-5136

Hydraulic Motor - Page 2 of 2



		eas	

--

Demilitarization:

No

Fiig:

T103-f