

View Online at <https://aerobasegroup.com/nsn/4320-01-372-3467>

**Prime Mover Quantity:**

1

**Prime Mover Cooling Medium:**

Hydrocarbon fuels and oils

**Intake Connection Quantity:**

1

**Intake Connection Type:**

Threaded internal

**Discharge Connection Quantity:**

1

**Discharge Connection Type:**

Threaded internal

**Current Type:**

Ac

**Media For Which Designed:**

Hydrocarbon fuels and oils

**Pump Quantity:**

1

**Maximum Discharge Flow Rate:**

767.2 liters per minute

**Operating Speed At Rated Capacity:**

1500.0 revolutions per minute

**Pumping Element Operating Position:**

Horizontal

**Volume Control Type:**

Rotary

**Rotary Pump Design:**

Vane

**Operation Relationship Design:**

Simultaneous

**Prime Mover Type:**

Electric motor

**Inclosure Type:**

Fully enclosed

**Current Rating In Amps:**

7.5 and 3.8

**Discharge Connection Thread Size And Series/type Designator:**

1.250 bsp.Tr int

**Intake Connection Thread Size And Series/type Designator:**

1.250 bsp.Tr int

**Prime Mover Power Rating:**

1.5 kilowatts

**Voltage In Volts:**

115.0 and 230.0

**Phase:**

Three

**Frequency In Hertz:**

60.0

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiiig:**

A19400