

View Online at <https://aerobasegroup.com/nsn/4320-01-372-3467>

Prime Mover Quantity:

1

Prime Mover Cooling Medium:

Hydrocarbon fuels and oils

Intake Connection Quantity:

1

Intake Connection Type:

Threaded internal

Discharge Connection Quantity:

1

Discharge Connection Type:

Threaded internal

Current Type:

Ac

Media For Which Designed:

Hydrocarbon fuels and oils

Pump Quantity:

1

Maximum Discharge Flow Rate:

767.2 liters per minute

Operating Speed At Rated Capacity:

1500.0 revolutions per minute

Pumping Element Operating Position:

Horizontal

Volume Control Type:

Rotary

Rotary Pump Design:

Vane

Operation Relationship Design:

Simultaneous

Prime Mover Type:

Electric motor

Inclosure Type:

Fully enclosed

Current Rating In Amps:

7.5 and 3.8

Discharge Connection Thread Size And Series/type Designator:

1.250 bsp.Tr int

Intake Connection Thread Size And Series/type Designator:

1.250 bsp.Tr int

Prime Mover Power Rating:

1.5 kilowatts

Voltage In Volts:

115.0 and 230.0

Phase:

Three

Frequency In Hertz:

60.0

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiiig:

A19400