

View Online at <https://aerobasegroup.com/nsn/4320-01-378-3133>

Prime Mover Quantity:

1

Prime Mover Cooling Medium:

Air

Stage Quantity:

1

Intake Connection Quantity:

1

Intake Connection Type:

Round flange

Discharge Connection Quantity:

1

Discharge Connection Type:

Round flange

Current Type:

Ac

Pump Quantity:

1

Cooling Method:

Air to air cooled

Maximum Discharge Flow Rate:

50.0 gallons per minute

Total Head:

185.000 feet

Operating Speed At Rated Capacity:

3500.0 revolutions per minute

Pumping Element Operating Position:

Vertical

Centrifugal Pump Design:

Radial flow

Centrifugal Pump Impeller Quantity:

1

Centrifugal Pump Impeller Suction Type:

Single

Operation Relationship Design:

Simultaneous

Unpackaged Unit Length:

25.500 inches

Unpackaged Unit Width:

15.5100 inches

Unpackaged Unit Height:

34.000 inches

Pump Basic Material:

Bronze

Prime Mover Type:

Electric motor

Inclosure Type:

Fully enclosed

Current Rating In Amps:

12.2

Prime Mover Power Rating:

7.5 horsepower

Voltage In Volts:

460.0

Phase:

Three

Special Features:

4.00 in. 125.0 lb ansi inlet/outlet flange type; two mounting legs provided

Frequency In Hertz:

60.0

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A19400