

View Online at <https://aerobasegroup.com/nsn/4320-01-378-4003>

**Mounting Type:**

Flange

**Cylinder Quantity:**

9

**Intake Connection Quantity:**

1

**Intake Connection Type:**

Rectangular flange

**Discharge Connection Quantity:**

1

**Discharge Connection Type:**

Rectangular flange

**Drive Connection Type:**

Rigid coupled

**Pumping Element Type:**

Piston

**Maximum Discharge Flow Rate:**

128.0 gallons per minute

**Discharge Pressure:**

7000.0 pounds per square inch gage

**Operating Speed At Rated Capacity:**

3100.0 revolutions per minute

**Pumping Element Operating Position:**

Horizontal

**Pump Rotation Direction:**

Clockwise

**Pump Reciprocating Design:**

Single acting

**Reciprocating Stroke Type:**

Variable

**Volume Control Type:**

Servo piston

**Control Location:**

Center

**Drive Shaft Type:**

Splined, involute external

**Unpackaged Unit Length:**

14.580 inches

**Unpackaged Unit Width:**

9.7800 inches

**Unpackaged Unit Height:**

11.850 inches

**Special Features:**

Electrical displacement control (edc) w/ms connector; pressure limiter in both ports (a and b); integral long filter included; welded pistons; shaft 13t 16/32 pitch spline; connection ports per j518c code 62

**Supplementary Features:**

Includes charging pump w/1.60cu.In./rev, 350.0psi, inlet port 1.625-12npt; drain case port 1.0625-12npt

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A19400