

View Online at <https://aerobasegroup.com/nsn/4320-01-379-3091>

**Mounting Type:**

Flange

**Cylinder Quantity:**

9

**Intake Connection Quantity:**

1

**Intake Connection Type:**

Rectangular flange

**Discharge Connection Quantity:**

1

**Discharge Connection Type:**

Rectangular flange

**Drive Connection Type:**

Rigid coupled

**Pumping Element Type:**

Piston

**Maximum Discharge Flow Rate:**

105.62 gallons per minute

**Discharge Pressure:**

4200.0 pounds per square inch gage

**Operating Speed At Rated Capacity:**

4000.0 revolutions per minute

**Pumping Element Operating Position:**

Horizontal

**Pump Rotation Direction:**

Clockwise

**Pump Reciprocating Design:**

Single acting

**Reciprocating Stroke Type:**

Variable

**Volume Control Type:**

Servo piston

**Control Location:**

Center

**Drive Shaft Type:**

Splined, straight external

**Unpackaged Unit Length:**

13.340 inches

**Unpackaged Unit Width:**

8.9500 inches

**Unpackaged Unit Height:**

10.430 inches

**Special Features:**

Electrical displacement control w/ms connector; standard pressure limiter range in twin port a and b; integral long filter included; welded pistons; shaft 14t 12/24 pitch; case drain port 1.0625-12npt; charge pump; 350.0psi, 1.20.0cu.In., inlet port 1.0625-12npt

**Supplementary Features:**

Connection ports j518c code 62

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A19400