

View Online at <https://aerobasegroup.com/nsn/4320-01-395-7366>

**Mounting Type:**

Flange

**Intake Connection Quantity:**

1

**Intake Connection Type:**

Rectangular flange

**Discharge Connection Quantity:**

2

**Discharge Connection Type:**

Threaded internal

**Drive Connection Type:**

Rigid coupled

**Media For Which Designed:**

Hydrocarbon fuels and oils

**End Application:**

Mic-240 abm, automatic building machine

**Maximum Discharge Flow Rate:**

8.0 gallons per minute

**Discharge Pressure:**

100.0 pounds per square inch gage

**Operating Speed At Rated Capacity:**

1200.0 revolutions per minute

**Pumping Element Operating Position:**

Horizontal

**Pump Rotation Direction:**

Clockwise

**Rotary Pump Design:**

Vane

**Operation Method:**

Powered

**Drive Shaft Type:**

Splined, straight external

**Drive Shaft Length:**

1.620 inches

**Unpackaged Unit Length:**

10.970 inches

**Unpackaged Unit Width:**

6.880 inches

**Unpackaged Unit Height:**

7.120 inches

**Discharge Connection Thread Size And Series/type Designator:**

1.062-12 un

**Special Features:**

2-bolt flange mounting facility; second outlet opposite inlet

**Supplementary Features:**

Shaft sae "b: spline

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A19400