

View Online at <https://aerobasegroup.com/nsn/4320-01-395-7366>

Mounting Type:

Flange

Intake Connection Quantity:

1

Intake Connection Type:

Rectangular flange

Discharge Connection Quantity:

2

Discharge Connection Type:

Threaded internal

Drive Connection Type:

Rigid coupled

Media For Which Designed:

Hydrocarbon fuels and oils

End Application:

Mic-240 abm, automatic building machine

Maximum Discharge Flow Rate:

8.0 gallons per minute

Discharge Pressure:

100.0 pounds per square inch gage

Operating Speed At Rated Capacity:

1200.0 revolutions per minute

Pumping Element Operating Position:

Horizontal

Pump Rotation Direction:

Clockwise

Rotary Pump Design:

Vane

Operation Method:

Powered

Drive Shaft Type:

Splined, straight external

Drive Shaft Length:

1.620 inches

Unpackaged Unit Length:

10.970 inches

Unpackaged Unit Width:

6.880 inches

Unpackaged Unit Height:

7.120 inches

Discharge Connection Thread Size And Series/type Designator:

1.062-12 un

Special Features:

2-bolt flange mounting facility; second outlet opposite inlet

Supplementary Features:

Shaft sae "b: spline

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A19400