NSN 4320-01-400-3312

Centrifugal Pump Unit - Page 1 of 2

Prime Mover Quantity:



View Online at https://aerobasegroup.com/nsn/4320-01-400-3312

1
Prime Mover Cooling Medium:
Air
Intake Connection Type:
Round flange
Discharge Connection Type:
Round flange
Current Type:
Ac
Pump Quantity:
1
Cooling Method:
Blower cooled
Maximum Discharge Flow Rate:
822.0 gallons per minute
Discharge Pressure:
35.0 pounds per square inch gage
Operating Speed At Rated Capacity:
1800.0 revolutions per minute
Pumping Element Operating Position:
Horizontal
Centrifugal Pump Impeller Quantity:
1
Prime Mover Type:
Electric motor
Inclosure Type:
Fully enclosed
Current Rating In Amps:
137.0
Criticality Code Justification:
Zzzy
Prime Mover Power Rating:
50.0 horsepower
Voltage In Volts:
440.0
Phase:
Three
Frequency In Hertz:
60.0
Reference Number Differentiating Characteristics:
Quality assurance tested for surfface or submarine application

NSN 4320-01-400-3312

Centrifugal Pump Unit - Page 2 of 2



_					
•	n	0 1	•	12	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A19400