

View Online at <https://aerobasegroup.com/nsn/4320-01-425-0340>

**Prime Mover Quantity:**

1

**Prime Mover Cooling Medium:**

Air

**Mounting Type:**

Base

**Intake Connection Quantity:**

1

**Intake Connection Type:**

Threaded internal

**Discharge Connection Quantity:**

1

**Discharge Connection Type:**

Threaded internal

**Current Type:**

Ac

**Media For Which Designed:**

Oil and water, salt

**Pump Quantity:**

1

**Cooling Method:**

Air to air cooled

**End Application:**

Air force weapons system code, ac, support equipment, b-1 aircraft

**Maximum Discharge Flow Rate:**

2.2 gallons per minute

**Discharge Pressure:**

100.0 pounds per square inch gage

**Operating Speed At Rated Capacity:**

1725.0 revolutions per minute

**Pumping Element Operating Position:**

Horizontal

**Rotary Pump Design:**

Gear

**Operation Relationship Design:**

Simultaneous

**Prime Mover Type:**

Electric motor

**Inclosure Type:**

Partially enclosed

**Discharge Connection Thread Size And Series/type Designator:**

0.250-18 npt

**Intake Connection Thread Size And Series/type Designator:**

0.250-18 npt

**Prime Mover Power Rating:**

0.333 horsepower

**Voltage In Volts:**

110.0

**Special Features:**

W/ adjustable relief valve

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A19400