

View Online at <https://aerobasegroup.com/nsn/4320-01-428-4328>

**Prime Mover Quantity:**

1

**Prime Mover Cooling Medium:**

Air

**Stage Quantity:**

1

**Intake Connection Quantity:**

1

**Intake Connection Type:**

Threaded internal

**Discharge Connection Quantity:**

1

**Discharge Connection Type:**

Threaded internal

**Current Type:**

Ac

**Media For Which Designed:**

Hydrocarbon fuels and oils

**Pump Quantity:**

1

**End Application:**

Centrifugal pump; oberdorfer inc; w/s iwo jima class lph

**Maximum Discharge Flow Rate:**

100.0 gallons per minute

**Discharge Pressure:**

100.0 pounds per square inch gage

**Centrifugal Pump Impeller Quantity:**

1

**Operation Relationship Design:**

Simultaneous

**Prime Mover Type:**

Electric motor

**Current Rating In Amps:**

9.7 and 4.85

**Discharge Connection Thread Size And Series/type Designator:**

1.250-11-1/2 npt

**Intake Connection Thread Size And Series/type Designator:**

1.500-11-1/2 npt

**Prime Mover Power Rating:**

1.5 horsepower

**Voltage In Volts:**

115.0 and 230.0

**Phase:**

Single

**Frequency In Hertz:**

60.0

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A19400