# NSN 4320-01-429-5983

Centrifugal Pump Unit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4320-01-429-5983

**Prime Mover Quantity:** 1 Prime Mover Cooling Medium: Air Mounting Type: Frame **Stage Quantity:** 7 Intake Connection Quantity: 1 Intake Connection Type: Round flange **Discharge Connection Quantity:** 1 **Discharge Connection Type:** Round flange **Current Type:** Ac Media For Which Designed: Water, salt **Pump Quantity:** 1 **End Application:** Navy weapon system code th, strategic sealift conversion ships class; boiler feed pump Maximum Discharge Flow Rate: 28.0 gallons per minute **Total Head:** 497.000 feet **Operating Speed At Rated Capacity:** 3600.0 revolutions per minute **Pumping Element Operating Position:** Horizontal **Centrifugal Pump Design:** Mixed flow **Centrifugal Pump Impeller Quantity:** 7 Centrifugal Pump Impeller Suction Type: Single **Operation Relationship Design:** Simultaneous Prime Mover Type: Electric motor

# NSN 4320-01-429-5983

Centrifugal Pump Unit - Page 2 of 2



#### **Prime Mover Power Rating:**

15.0 horsepower

## Voltage In Volts:

440.0

### Phase:

Three

#### **Special Features:**

Boiler feed pump; casing: steel; impeller: ni-al-brz astm b148 alloy 9d; shaft and sleeve: st stl aisi 316

#### Frequency In Hertz:

60.000

Shelf Life:

N/a

### Unit Of Measure:

---

#### Demilitarization:

No

#### Fiig:

A19400