# NSN 4320-01-432-2505

Centrifugal Pump Unit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4320-01-432-2505

# **Prime Mover Quantity:** 1 Prime Mover Cooling Medium: Air Mounting Type: Frame **Stage Quantity:** 1 Intake Connection Quantity: 1 Intake Connection Type: Round flange **Discharge Connection Quantity:** 1 **Discharge Connection Type:** Round flange **Current Type:** Ac Media For Which Designed: Water, fresh or water, salt **Pump Quantity:** 1 **Cooling Method:** Air to air cooled **End Application:** Navy weapon system code th, strategic sealift conversion ships class; forward and aft fire pump Maximum Discharge Flow Rate: 1115.0 gallons per minute **Total Head:** 336.000 feet **Operating Speed At Rated Capacity:** 3600.0 revolutions per minute **Pumping Element Operating Position:** Vertical **Centrifugal Pump Design:** Mixed flow **Centrifugal Pump Impeller Quantity:** 1 Centrifugal Pump Impeller Suction Type: Single **Operation Relationship Design:** Simultaneous

# NSN 4320-01-432-2505

Centrifugal Pump Unit - Page 2 of 2



Prime Mover Type:

Electric motor

Inclosure Type:

Fully enclosed

### Prime Mover Power Rating:

150.0 horsepower

# Voltage In Volts:

460.0

# Phase:

Three

#### **Special Features:**

6.0in suction 150lb. Ansi flg; 4.0in.Discharge 150lb ansi flg;

#### Frequency In Hertz:

60.0

#### Shelf Life:

N/a

#### Unit Of Measure:

---

#### Demilitarization:

No

### Fiig:

A19400