

View Online at <https://aerobasegroup.com/nsn/4320-01-432-6810>

**Mounting Type:**

Flange

**Intake Connection Quantity:**

1

**Intake Connection Type:**

Threaded internal

**Discharge Connection Quantity:**

1

**Discharge Connection Type:**

Threaded internal

**Media For Which Designed:**

Hydrocarbon fuels and oils

**End Application:**

Aux. Steam boiler p/n sdw-350m

**Maximum Discharge Flow Rate:**

5.5 gallons per minute

**Discharge Pressure:**

100.0 pounds per square inch gage

**Operating Speed At Rated Capacity:**

3500.0 revolutions per minute

**Pump Rotation Direction:**

Counterclockwise

**Rotary Pump Design:**

Gear

**Operation Method:**

Powered

**Drive Shaft Type:**

Key type, external

**Drive Shaft End Diameter:**

0.500 inches

**Drive Shaft Length:**

1.000 inches

**Discharge Connection Thread Size And Series/type Designator:**

0.500-14 nptf

**Intake Connection Thread Size And Series/type Designator:**

-0.500-14 nptf

**Special Features:**

Mounting 4-bolt (1.781" diameter pilot)

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A19400