NSN 4320-01-440-8180

Centrifugal Pump Unit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4320-01-440-8180

Prime Mover Quantity:
1
Prime Mover Cooling Medium:
Air
Mounting Type:
Base
Stage Quantity:
1
Intake Connection Quantity:
1
Intake Connection Type:
Threaded internal
Discharge Connection Quantity:
1
Discharge Connection Type:
Threaded external
Current Type:
Ac
Pump Quantity:
1
Cooling Method:
Blower cooled
End Application:
Navy weapons system jf, seawolf class ssn
Maximum Discharge Flow Rate:
17.0 gallons per minute
Discharge Pressure:
12.2 pounds per square inch gage
Total Head:
28.000 feet
Operating Speed At Rated Capacity:
3550.0 revolutions per minute
Pumping Element Operating Position:
Horizontal
Centrifugal Pump Design:
Mixed flow
Centrifugal Pump Impeller Quantity:
1
Centrifugal Pump Impeller Suction Type:
Single
Prime Mover Type:
Electric motor

NSN 4320-01-440-8180Centrifugal Pump Unit - Page 2 of 2



Inclosure Type:
Fully enclosed
Current Rating In Amps:
1.8 and 0.9
Discharge Connection Thread Size And Series/type Designator:
0.500-14 npt
Intake Connection Thread Size And Series/type Designator:
1.000-11-1/2 npt
Prime Mover Power Rating:
0.2 horsepower
Voltage In Volts:
115.0 and 230.0
Phase:
Single
Special Features:
Magnetic drive
Frequency In Hertz:
50.0 and 60.0
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A19400