
NSN 4320-01-441-6358

Reciprocating Pump - Page 1 of 2





Mounting Type:

Base

Cylinder Quantity:

2

Intake Connection Quantity:

1

Intake Connection Type:

Threaded internal

Discharge Connection Quantity:

1

Discharge Connection Type:

Threaded internal

Drive Connection Type:

Close coupled

Pumping Element Type:

Diaphragm

End Application:

Weapons code jzn, mars class afs

Maximum Discharge Flow Rate:

240.0 gallons per minute

Discharge Pressure:

100.0 pounds per square inch gage

Total Head:

240.000 feet

Suction Lift:

25.000 feet

Pumping Element Operating Position:

Horizontal

Pump Reciprocating Design:

Double acting

Reciprocating Stroke Type:

Fixed

Operation Method:

Powered

Drive Shaft Type:

Threaded

Discharge Connection Thread Size And Series/type Designator:

3.000-8 npt

Intake Connection Thread Size And Series/type Designator:

3.000-8 npt

Special Features:

Wwilden pump model m15, air operated double diaphragm 316 ss pump with ss clamp bands and neoprene diaphragms, ball valves and valve seats and o-rings; pumps liquids or solids, 0.375" maximum solids dia, 125psig maximum air supply pressure

NSN 4320-01-441-6358

Reciprocating Pump - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A19400

