NSN 4320-01-441-6358

Reciprocating Pump - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4320-01-441-6358 **Mounting Type:** Base **Cylinder Quantity: Intake Connection Quantity: Intake Connection Type:** Threaded internal **Discharge Connection Quantity: Discharge Connection Type:** Threaded internal **Drive Connection Type:** Close coupled **Pumping Element Type:** Diaphragm **End Application:** Weapons code jzn, mars class afs **Maximum Discharge Flow Rate:** 240.0 gallons per minute **Discharge Pressure:** 100.0 pounds per square inch gage **Total Head:** 240.000 feet **Suction Lift:** 25.000 feet **Pumping Element Operating Position:** Horizontal **Pump Reciprocating Design:** Double acting **Reciprocating Stroke Type: Operation Method:** Powered **Drive Shaft Type:** Threaded Discharge Connection Thread Size And Series/type Designator: 3.000-8 npt Intake Connection Thread Size And Series/type Designator:

3.000-8 npt

Special Features:

Wwilden pump model m15, air operated double diaphragm 316 ss pump with ss clamp bands and neoprene diaphragms, ball valves and valve seats and o-rings; pumps liquids or solids, 0.375" maximum solids dia, 125psig maximum air supply pressure

NSN 4320-01-441-6358

Reciprocating Pump - Page 2 of 2



She	lf I	Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A19400