

View Online at <https://aerobasegroup.com/nsn/4320-01-443-9476>

**Prime Mover Quantity:**

1

**Prime Mover Cooling Medium:**

Air

**Mounting Type:**

Base

**Stage Quantity:**

1

**Intake Connection Quantity:**

1

**Intake Connection Type:**

Quick disconnect

**Discharge Connection Quantity:**

1

**Discharge Connection Type:**

Quick disconnect

**Media For Which Designed:**

Water, fresh

**Pump Quantity:**

1

**End Application:**

Navy weapons code th, strategic sealift conversion ships class

**Pumping Element Operating Position:**

Horizontal

**Centrifugal Pump Design:**

Radial flow

**Centrifugal Pump Impeller Quantity:**

1

**Prime Mover Type:**

Electric motor

**Inclosure Type:**

Fully enclosed

**Prime Mover Power Rating:**

0.5 horsepower

**Special Features:**

De-ionized water fill pump assembly; includes a 2pst toggle switch on motor, a check valve, a filter, a 0.50in. Diameter polyurethane suction hose, a 0.375in. Diameter polyurethane pressure and purge hoses and fittings; pump unit is mounted on a 0.1875in. Thick aluminum plate on four rubber standoffs inside a polypropylene plastic box with a hinged lid; has flexible viton impeller

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A19400