NSN 4320-01-445-1600

Rotary Pump - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4320-01-445-1600

Mounting Type:
Base
Intake Connection Quantity:
1
Intake Connection Type:
Threaded internal
Discharge Connection Quantity:
1
Discharge Connection Type:
Threaded internal
Media For Which Designed:
Hydrocarbon fuels and oils
End Application:
Marine transmission, twin disc, model no. Mg5091
Maximum Discharge Flow Rate:
9.6 gallons per minute
Discharge Pressure:
275.0 pounds per square inch gage
Operating Speed At Rated Capacity:
3000.0 revolutions per minute
Pumping Element Operating Position:
Pumping Element Operating Position: Horizontal
Horizontal
Horizontal Pump Rotation Direction:
Horizontal Pump Rotation Direction: Clockwise and counterclockwise
Horizontal Pump Rotation Direction: Clockwise and counterclockwise Rotary Pump Design:
Horizontal Pump Rotation Direction: Clockwise and counterclockwise Rotary Pump Design: Gear
Horizontal Pump Rotation Direction: Clockwise and counterclockwise Rotary Pump Design: Gear Operation Method:
Horizontal Pump Rotation Direction: Clockwise and counterclockwise Rotary Pump Design: Gear Operation Method: Powered
Horizontal Pump Rotation Direction: Clockwise and counterclockwise Rotary Pump Design: Gear Operation Method: Powered Discharge Connection Thread Size And Series/type Designator:
Horizontal Pump Rotation Direction: Clockwise and counterclockwise Rotary Pump Design: Gear Operation Method: Powered Discharge Connection Thread Size And Series/type Designator: 0.750-14 nptf
Horizontal Pump Rotation Direction: Clockwise and counterclockwise Rotary Pump Design: Gear Operation Method: Powered Discharge Connection Thread Size And Series/type Designator: 0.750-14 nptf Intake Connection Thread Size And Series/type Designator:
Horizontal Pump Rotation Direction: Clockwise and counterclockwise Rotary Pump Design: Gear Operation Method: Powered Discharge Connection Thread Size And Series/type Designator: 0.750-14 nptf Intake Connection Thread Size And Series/type Designator: 0.750-14 nptf
Horizontal Pump Rotation Direction: Clockwise and counterclockwise Rotary Pump Design: Gear Operation Method: Powered Discharge Connection Thread Size And Series/type Designator: 0.750-14 nptf Intake Connection Thread Size And Series/type Designator: 0.750-14 nptf Shelf Life:
Horizontal Pump Rotation Direction: Clockwise and counterclockwise Rotary Pump Design: Gear Operation Method: Powered Discharge Connection Thread Size And Series/type Designator: 0.750-14 nptf Intake Connection Thread Size And Series/type Designator: 0.750-14 nptf Shelf Life: N/a
Horizontal Pump Rotation Direction: Clockwise and counterclockwise Rotary Pump Design: Gear Operation Method: Powered Discharge Connection Thread Size And Series/type Designator: 0.750-14 nptf Intake Connection Thread Size And Series/type Designator: 0.750-14 nptf Shelf Life: N/a
Horizontal Pump Rotation Direction: Clockwise and counterclockwise Rotary Pump Design: Gear Operation Method: Powered Discharge Connection Thread Size And Series/type Designator: 0.750-14 nptf Intake Connection Thread Size And Series/type Designator: 0.750-14 nptf Shelf Life: N/a Unit Of Measure:
Horizontal Pump Rotation Direction: Clockwise and counterclockwise Rotary Pump Design: Gear Operation Method: Powered Discharge Connection Thread Size And Series/type Designator: 0.750-14 nptf Intake Connection Thread Size And Series/type Designator: 0.750-14 nptf Shelf Life: N/a Unit Of Measure: Demilitarization: