## NSN 4320-01-449-2366

Centrifugal Pump Unit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4320-01-449-2366

Prime Mover Quantity:			
1			
Prime Mover Cooling Medium:			
Air			
Intake Connection Quantity:			
1			
Intake Connection Type:			
Threaded internal			
Discharge Connection Quantity:			
1			
Discharge Connection Type:			
Threaded internal			
Current Type:			
Ac			
Pump Quantity:			
1			
Cooling Method:			
Blower cooled			
End Application:			
Navy w/s code th strategic sealift conversion ships class			
Maximum Discharge Flow Rate:			
120.0 gallons per minute			
Total Head:			
40.00000 feet			
Operating Speed At Rated Capacity:			
3450.0 revolutions per minute			
Pumping Element Operating Position:			
Horizontal			
Centrifugal Pump Design:			
Mixed flow			
Centrifugal Pump Impeller Quantity:			
1			
Pump Basic Material:			
Plastic			
Prime Mover Type:			
Pneumatic motor			
Inclosure Type:			
Fully enclosed			
Intake Connection Thread Size And Series/type Designator:			
1.50000-12 npt			
Prime Mover Power Rating:			
0.5 horsenower			

0.5 horsepower

## NSN 4320-01-449-2366

Centrifugal Pump Unit - Page 2 of 2



Р	hase:	

Three

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A19400