

View Online at <https://aerobasegroup.com/nsn/4320-01-457-2743>

Mounting Type:

Flange

Intake Connection Quantity:

1

Intake Connection Type:

Threaded internal

Discharge Connection Quantity:

1

Discharge Connection Type:

Threaded internal

Drive Connection Type:

Rigid coupled

Media For Which Designed:

Hydrocarbon fuels and oils

End Application:

Navy weapons code ka, usns stalwart class tagos

Maximum Discharge Flow Rate:

7.0 gallons per minute and 6.2 gallons per minute

Discharge Pressure:

100.0 pounds per square inch gage and 2000.0 pounds per square inch gage

Operating Speed At Rated Capacity:

1200.0 revolutions per minute

Pumping Element Operating Position:

Horizontal

Pump Rotation Direction:

Clockwise

Rotary Pump Design:

Vane

Operation Method:

Powered

Drive Shaft Type:

Key type, external

Drive Shaft End Diameter:

0.750 inches

Drive Shaft Length:

1.970 inches

Discharge Connection Thread Size And Series/type Designator:

1.0625-12 unf

Intake Connection Thread Size And Series/type Designator:

1.625-012 unf

Special Features:

2-bolt mounting flange

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A19400