

View Online at <https://aerobasegroup.com/nsn/4320-01-466-4215>

**Intake Connection Quantity:**

1

**Intake Connection Type:**

Threaded internal

**Discharge Connection Quantity:**

1

**Discharge Connection Type:**

Threaded internal

**Media For Which Designed:**

Liquid

**End Application:**

Pump, centrifugal

**Discharge Pressure:**

100.0 pounds per square inch gage

**Operating Speed At Rated Capacity:**

3600.0 revolutions per minute

**Pumping Element Operating Position:**

Horizontal

**Pump Rotation Direction:**

Counterclockwise

**Centrifugal Pump Impeller Quantity:**

1

**Special Features:**

Pump sz 10; impeller diameter 3.75 in; end suction; pump metallurgy 316ss; open impeller; single wet seal, carbon face, silicon carbide seat; alloy c impeller drive collar; provided with a drain port and nipple in seal pocket; casing drain and vent plugs furnished; furnished mounted to nema 56c motor; viscosity type 50 cps max; min pumping temp neg 50 degrees f; maximum pumping temp 180 degrees f; 1 in npt suction; .750 in npt discharge

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A19400