

View Online at <https://aerobasegroup.com/nsn/4320-01-467-2768>

**Mounting Type:**

Flange

**Intake Connection Quantity:**

1

**Intake Connection Type:**

Threaded internal

**Discharge Connection Quantity:**

1

**Discharge Connection Type:**

Threaded internal

**Drive Connection Type:**

Close coupled

**Maximum Discharge Flow Rate:**

19.8 gallons per minute

**Discharge Pressure:**

2500.0 pounds per square inch gage

**Operating Speed At Rated Capacity:**

2800.0 revolutions per minute

**Pumping Element Operating Position:**

Horizontal

**Pump Rotation Direction:**

Clockwise

**Rotary Pump Design:**

Vane

**Operation Method:**

Powered

**Drive Shaft Type:**

Key type, internal

**Drive Shaft Length:**

2.660 inches

**Discharge Connection Thread Size And Series/type Designator:**

1.062-12 un

**Intake Connection Thread Size And Series/type Designator:**

1.625-12 un

**Product Name:**

Vane pump

**Special Features:**

Specs based on petroleum oil, can also use fire-resistant fluids; outlet port in line with inlet; mounting 2-bolt flange, 3.25 in pilot; size 9 ring

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A19400