NSN 4320-01-495-3782

Hydraulic Motor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4320-01-495-3782

Torque Load Rating:
2129.0 inch-pounds
Mounting Type:
Flange
Spline Quantity:
13
Mounting Hole Quantity:
2
Shaft Diameter:
0.875 inches
Operating Speed At Rated Capacity In Rpm:
856.0
End Application:
B1b se, wsd: support equipment, b-1 ac
Drive Shaft Type:
Splined, straight external
Shaft Rotation Direction:
Clockwise and counterclockwise
Thread Location:
Internal
Spline Pitch:
16132
Connection Quantity:
2
Connection Type:
Inlet
Connection Design:
Threaded
Spline Length:
1.000 inches
Displacement Type:
Constant
Constant Displacement Per Revolution:
5.400 cubic inches
Special Features:
Shaft rotation depends on pressurized port; weight: 16.2 lbs; pressure differential (psi) maximum continuous: 3000, maximum intermittent:
3500; maximum torque (lb in) maximum intermittent pressure: 2543; next assembly: 9330770
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:

No

NSN 4320-01-495-3782 Hydraulic Motor - Page 2 of 2



Fiig:

T103-f