

View Online at <https://aerobasegroup.com/nsn/4320-01-600-8912>

Mounting Type:

Base

Cylinder Quantity:

2

Intake Connection Type:

Threaded internal

Discharge Connection Quantity:

1

Discharge Connection Type:

Threaded internal

Pumping Element Type:

Diaphragm

Maximum Discharge Flow Rate:

140.0 gallons per minute

Discharge Pressure:

125.0 pounds per square inch gage

Pump Reciprocating Design:

Double acting

Operation Method:

Powered

Discharge Connection Thread Size And Series/type Designator:

2.0 inch nptf

Intake Connection Thread Size And Series/type Designator:

2.0 inch nptf

Product Name:

Heavy duty flap valve, air-operated double diaphragm, ty-6

Special Features:

Materials: manifold elbow, outer chamber, outer diaphragm plate: stainless steel; inner chamber, intermediate housing: cast iron; inner diaphragm plate: plated steel; diaphragm rod: 416ss (stainless steel); valve seat: 316ss (stainless steel); hardware: plated steel; diaphragm, flap valve material, sealings: fk (fluorocarbon) .Shipping weight: 168.0 pounds.

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A19400