## NSN 4330-00-983-8512

Fluid Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4330-00-983-8512

Mounting Type:
Threaded hole top
Mounting Hole Quantity:
6
Body Length:
5.250 inches
Body Width:
2.420 inches
Body Height:
12.270 inches
Drop Pressure:
4.6 pounds per square inch
Distance Between Mounting Hole Centers:
0.750 inches and 1.880 inches
Wire Diameter:
0.0045 inches
Mesh Size:
100.0
Design Type:
Reusable
Tempurature Rating:
Between -65.0 degrees fahrenheit and 250.0 degrees fahrenheit
Features Provided:
By-pass valve
Filtering Element Quantity:
1
Mounting Facility Thread Series Designator:
Unc
Maximum Operating Pressure:
200.0 pounds per square inch
Filtering Media Design:
Mesh single filtering media response
First Intake Connection Type:
Threaded internal pipe head side
Mounting Facility Thread Size:
0.312 inches
First Discharge Connection Relationship To Intake Connection:
Identical to first intake connection
Distance From Bottom Of Body To Center Of Inlet:
10.750 inches
First Intake Thread Series Designator:

Npt

## **NSN 4330-00-983-8512** Fluid Filter - Page 2 of 2



First Intake Thread Size:
1.250 inches
First Intake Thread Direction:
Right-hand
Filtering System For Which Designed:
Full flow
Special Features:
165.0 microns nom; 5 psi bypass; suction gage on indicator port no. 4
Material:
Steel sediment bowl
Media For Which Designed:
Fuel/oil, hydrocarbon
Surface Treatment:
Zinc sediment bowl
Style Designator:
Tee type (hydraulic)
Shelf Life:
N/a
Unit Of Measure:
-
Demilitarization:
No
Filg:
424000