## NSN 4330-01-116-7028

Fluid Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4330-01-116-7028
Mounting Type:
Inlet connection center and outlet connection center
Body Length:
0.680 inches
Body Outside Diameter:
1.000 inches
Filtration Rating In Microns:
5.0 and 10.0 absolute
Drop Pressure:
50.0 pounds per square inch
Design Type:
Reusable
Tempurature Rating:
Between -320.0 degrees fahrenheit and 800.0 degrees fahrenheit
Filtering Element Quantity:
1
Maximum Operating Pressure:
6000.0 pounds per square inch
Filtering Media Design:
Pleated single filtering media response
First Intake Connection Type:
Threaded external tube center
First Discharge Connection Relationship To Intake Connection:
Not identical
First Discharge Connection Type:
Threaded external pipe center
First Intake Thread Series Designator:
Npt
First Discharge Thread Series Designator:
Unf
First Intake Thread Size:
0.250 inches
First Discharge Thread Size:
0.250 inches
First Discharge Thready Qty Per Inch (tpi):
12
First Discharge Thread Class:
2b
First Intake Thread Direction:
Right-hand

Right-hand

**First Discharge Thread Direction:** 

## NSN 4330-01-116-7028

Fluid Filter - Page 2 of 2

A24000



Filtering System For Which Designed:
Full flow
Special Features:
Flow direction can be reversed if opposite inlet/outlet are required
Material:
Steel comp 304 filtering medium
Media For Which Designed:
Any acceptable
Style Designator:
Inline disposal w/threaded connections
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fila: