## NSN 4330-01-133-7770



Fluid Filter - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/4330-01-133-7770 **Mounting Type:** Threaded hole top **Mounting Hole Quantity:** 2 **Body Outside Diameter:** 5.380 inches **Body Height:** 9.560 inches **Filtration Rating In Microns:** 10.0 **Drop Pressure:** 25.0 pounds per square inch **Differential Pressure:** 10.5 pounds per square inch **Distance Between Mounting Hole Centers:** 3.188 inches **Design Type:** Reusable **Tempurature Rating:** Between -40.0 degrees fahrenheit and 225.0 degrees fahrenheit **Features Provided:** By-pass valve **Filtering Element Quantity: Mounting Facility Thread Series Designator:** Unc **Maximum Operating Pressure:** 100.0 pounds per square inch Filtering Media Design: Pleated single filtering media response **First Intake Connection Type:** Threaded internal pipe head side **Mounting Facility Thread Size:** 0.375 inches First Discharge Connection Relationship To Intake Connection: Identical to first intake connection First Intake Thread Series Designator:

Nptf First Intake Thread Size: 1.500 inches

**First Intake Thread Direction:** 

Right-hand

## NSN 4330-01-133-7770

Fluid Filter - Page 2 of 2



Filtering System For Which Designed:
Full flow or partial flow
Special Features:
Filter consists of head and spin-on type element
Material:
Steel body
Media For Which Designed:
Fuel/oil, hydrocarbon
Style Designator:
Unthreaded shell
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No Fiig: A24000