

View Online at <https://aerobasegroup.com/nsn/4330-01-139-1925>

Mounting Type:

Threaded hole top

Mounting Hole Quantity:

4

Body Outside Diameter:

Between 6.300 inches and 6.720 inches

Body Height:

22.640 inches

Filtration Rating In Microns:

3.0 absolute and 0.45

Drop Pressure:

2.6 pounds per square inch

Differential Pressure:

35.0 pounds per square inch

Distance Between Mounting Hole Centers:

Between 5.422 inches and 5.452 inches

Design Type:

Reusable

Temperature Rating:

Between -65.0 degrees fahrenheit and 225.0 degrees fahrenheit

Features Provided:

By-pass valve and differential pressure indicator

Filtering Element Quantity:

1

Mounting Facility Thread Series Designator:

Unc

Maximum Operating Pressure:

2000.0 pounds per square inch

Filtering Media Design:

Pleated single filtering media response

First Intake Connection Type:

Threaded internal tube head side

Mounting Facility Thread Size:

0.312 inches

First Discharge Connection Relationship To Intake Connection:

Not identical

First Discharge Connection Type:

Threaded internal tube top

First Intake Thread Series Designator:

Un

First Discharge Thread Series Designator:

Un

First Intake Thread Size:

1.875 inches

First Discharge Thread Size:

1.875 inches

First Intake Thready Qty Per Inch (tpi):

12

First Discharge Thready Qty Per Inch (tpi):

12

First Intake Thread Class:

2b

First Discharge Thread Class:

2b

First Intake Thread Direction:

Right-hand

First Discharge Thread Direction:

Right-hand

Filtering System For Which Designed:

Full flow

Special Features:

Visual indicator w/manual reset; ports per sae boss j514d

Material:

Aluminum body steel container/cartridge fiber synthetic filtering medium and resin synthetic filtering medium rubber buna n seal

Media For Which Designed:

Fuel/oil, hydrocarbon

Surface Treatment:

Anodize body

Style Designator:

High pressure threaded body

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A24000