## NSN 4330-01-143-2928

Fluid Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4330-01-143-2928

Mounting Type:
Threaded hole top
Mounting Hole Quantity:
3
Body Length:
4.630 inches
Body Width:
5.320 inches
Body Height:
9.490 inches
Filtration Rating In Microns:
3.0
Differential Pressure:
50.0 pounds per square inch
Distance Between Mounting Hole Centers:
1.770 inches and 3.150 inches
Design Type:
Reusable
Tempurature Rating:
Between -40.0 degrees fahrenheit and 250.0 degrees fahrenheit
Features Provided:
By-pass valve and differential pressure indicator and drain cock
Filtering Element Quantity:
1
Mounting Facility Thread Series Designator:
Unc
Maximum Operating Pressure:
6000.0 pounds per square inch
Filtering Media Design:
Pleated single filtering media response
First Intake Connection Type:
Threaded internal pipe head side
Mounting Facility Thread Size:
0.375 inches
First Discharge Connection Relationship To Intake Connection:
Identical to first intake connection
Distance From Bottom Of Body To Center Of Inlet:
7.800 inches
First Intake Thread Series Designator:
Npt
First Intake Thread Size:

1.000 inches

## NSN 4330-01-143-2928

Fluid Filter - Page 2 of 2



First Intake Thread Direction:
Right-hand
Filtering System For Which Designed:
Full flow
Special Features:
R-h elect indicator
Material:
Iron container/cartridge
Media For Which Designed:
Fuel/oil, hydrocarbon
Style Designator:
Tee type (hydraulic)
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A24000