## NSN 4330-01-189-1801

Fluid Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4330-01-189-1801 **Mounting Type:** Threaded hole top **Mounting Hole Quantity:** 2 **Body Outside Diameter:** 3.750 inches **Body Height: 7.310 inches Filtration Rating In Microns:** 10.0 **Differential Pressure:** 15.0 pounds per square inch **Distance Between Mounting Hole Centers:** 1.500 inches **Design Type:** Reusable **Tempurature Rating:** Between -40.0 degrees fahrenheit and 300.0 degrees fahrenheit **Features Provided:** By-pass valve **Filtering Element Quantity:** 1 **Mounting Facility Thread Series Designator: Maximum Operating Pressure:** 150.0 pounds per square inch Filtering Media Design: Pleated single filtering media response **First Intake Connection Type:** Threaded internal tube head side **Mounting Facility Thread Size:** 0.250 inches First Discharge Connection Relationship To Intake Connection: Identical to first intake connection First Intake Thread Series Designator: Unf First Intake Thread Size: 0.750 inches First Intake Thread Class:

3b

**First Intake Thread Direction:** 

Right-hand

## NSN 4330-01-189-1801

Fluid Filter - Page 2 of 2



Filtering System For Which Designed:
Full flow
Special Features:
Spin-on element style a14 w/ 1.000-12 unf-2a thd
Material:
Rubber buna n seal
Media For Which Designed:
Fuel/oil, hydrocarbon
Style Designator:
Unthreaded shell
Supplementary Features:
Gage port facility plugged
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A24000