NSN 4330-01-195-4311

Fluid Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4330-01-195-4311 **Body Outside Diameter:** 5.00 inches **Body Inside Diameter:** 5.00 inches **Body Height:** 10.00 inches **Mounting Flange Bolt Hole Diameter:** 0.265 inches **Filtration Rating In Microns:** 10.0 absolute and 25.00 absolute **Drop Pressure:** 5.0 pounds per square inch **End Application:** Landing craft air cushion (lcac) **Design Type:** Reusable **Tempurature Rating:** Between -30.00 degrees fahrenheit and 150.00 degrees fahrenheit **Maximum Operating Pressure:** 60.00 pounds per square inch **Special Features:** Connector per tms specification 7614-947306 Material: Aluminum alloy 5005 or steel comp 301 body Media For Which Designed: Fuel/oil, hydrocarbon **Surface Treatment:** Passivate body **Special Test Features:** The use of 2000 and 7000 series aluminum and 303 cres steel are not permitted **Surface Treatment Specification:** Qq-p-35 federal specification single treatment response body **Style Designator:** Unthreaded body and cover assembly (filter head at bottom) **Supplementary Features:** Used to remove foreign particles from the main fuel feed system of landing craft air cushion (lcac) Shelf Life: N/a **Unit Of Measure:**

No

Demilitarization:

NSN 4330-01-195-4311

Fluid Filter - Page 2 of 2



Fiig:

A24000