## NSN 4330-01-213-7797

Fluid Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4330-01-213-7797

### Mounting Type:

Bracket w/drilled hole bottom

#### Mounting Hole Diameter:

0.625 inches

## Mounting Hole Quantity:

4

#### Body Length:

32.000 inches

#### **Body Outside Diameter:**

23.625 inches

**Body Height:** 

58.875 inches

**Distance Between Mounting Hole Centers:** 

#### 15.500 inches

**Design Type:** 

Reusable

#### **Tempurature Rating:**

250.0 degrees fahrenheit

#### **Features Provided:**

Air bleed valve and drain plug

#### Bracket Quantity:

1

#### Filtering Element Quantity:

10

#### Maximum Operating Pressure:

150.0 pounds per square inch

#### First Intake Connection Type:

Raised face flange bottom side

#### First Discharge Connection Relationship To Intake Connection:

Identical to first intake connection

#### Distance From Bottom Of Body To Center Of Inlet:

12.500 inches

#### First Intake Flange Outside Diameter:

7.500 inches

#### First Intake Flange Shape Style:

Round w/unthreaded bolt holes

### First Intake Flange Face Style:

Raised

## First Intake Flange Thickness:

1.000 inches

### First Intake Flange Raised Face Height:

0.062 inches

# NSN 4330-01-213-7797

Fluid Filter - Page 2 of 2



#### First Intake Flange Raised Face Diameter:

6.188 inches

#### Filtering System For Which Designed:

By-pass flow or full flow

## **Special Features:**

Elements not included, must be ordered separately; majual air release valve; intake and discharge pressure gauges included

Material:

Steel body

## Media For Which Designed:

Fuel/oil, hydrocarbon

#### Style Designator:

Floor mounted split body (bolted flange)

Shelf Life:

N/a

#### Unit Of Measure:

--

## Demilitarization:

No

#### Fiig:

A24000