NSN 4330-01-227-7314

Fluid Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4330-01-227-7314

Mounting Type:
Unthreaded hole top
Mounting Hole Diameter:
0.562 inches
Mounting Hole Quantity:
3
Body Height:
10.875 inches
Filtration Rating In Microns:
10.0 absolute and 25.0
Distance Between Mounting Hole Centers:
6.250 inches and 6.343 inches
Design Type:
Reusable
Tempurature Rating:
Between 40.0 degrees fahrenheit and 160.0 degrees fahrenheit
Features Provided:
By-pass valve and drain plug
Filtering Element Quantity:
1
Maximum Operating Pressure:
1650.0 pounds per square inch
First Intake Connection Type:
Plain face flange head side
First Discharge Connection Relationship To Intake Connection:
Not identical
First Discharge Connection Type:
Threaded internal tube head side
First Intake Flange Shape Style:
Rectangular w/threaded bolt holes
First Intake Flange Face Style:
Plain
First Discharge Thread Series Designator:
Unc
Second Discharge Thread Size:
1.000 inches
First Discharge Thread Class:
2b
First Discharge Thread Direction:
Right-hand
Filtering System For Which Designed:
Full flow

NSN 4330-01-227-7314

Fluid Filter - Page 2 of 2

Fiig: A24000



Special Features:
Head size 7.750 in. Lg, 7.500 in. W
Material:
Steel body
Material Specification:
Astm-a-181-gr-2 national specification single material response body
Media For Which Designed:
Fuel/oil, hydrocarbon
Style Designator:
High pressure threaded body
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No