

View Online at <https://aerobasegroup.com/nsn/4330-01-249-3509>

**Mounting Type:**

Threaded hole top

**Mounting Hole Quantity:**

4

**Body Outside Diameter:**

3.440 inches

**Body Height:**

9.170 inches

**Filtration Rating In Microns:**

25.0 absolute and 10.0

**Drop Pressure:**

23.5 pounds per square inch

**Distance Between Mounting Hole Centers:**

2.250 inches and 3.720 inches

**Design Type:**

Reusable

**Temperature Rating:**

Between -45.0 degrees fahrenheit and 225.0 degrees fahrenheit

**Features Provided:**

By-pass valve and differential pressure indicator and drain plug

**Filtering Element Quantity:**

1

**Mounting Facility Thread Series Designator:**

Unc

**Maximum Operating Pressure:**

6000.0 pounds per square inch

**Filtering Media Design:**

Pleated single filtering media response

**First Intake Connection Type:**

Threaded internal tube head

**Mounting Facility Thread Size:**

0.438 inches

**First Discharge Connection Relationship To Intake Connection:**

Identical to first intake connection

**First Intake Thread Series Designator:**

Un

**First Intake Thread Size:**

1.0625 inches

**First Intake Thready Qty Per Inch (tpi):**

12

**First Intake Thread Class:**

2b

**First Intake Thread Direction:**

Right-hand

**Filtering System For Which Designed:**

Full flow or by-pass flow

**Special Features:**

Visual differential pressure indicator; 50psi bypass valve

**Material:**

Steel sediment bowl

**Media For Which Designed:**

Fuel/oil, hydrocarbon

**Surface Treatment:**

Phosphate sediment bowl

**Style Designator:**

High pressure threaded body

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A24000