NSN 4330-01-250-2799

Fluid Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4330-01-250-2799

Mounting Type:
Unthreaded hole head side
Mounting Hole Diameter:
0.266 inches
Mounting Hole Quantity:
2
Body Outside Diameter:
4.000 inches
Body Height:
8.570 inches
Filtration Rating In Microns:
20.0
Differential Pressure:
50.0 pounds per square inch
Distance Between Mounting Hole Centers:
3.125 inches
Design Type:
Reusable
Tempurature Rating:
Between -40.0 degrees fahrenheit and 250.0 degrees fahrenheit
Features Provided:
By-pass valve and drain plug
Filtering Element Quantity:
1
Maximum Operating Pressure:
3000.0 pounds per square inch
Filtering Media Design:
Pleated single filtering media response
First Intake Connection Type:
Threaded internal tube head side
First Discharge Connection Relationship To Intake Connection:
Identical to first intake connection
First Intake Thread Series Designator:
Un
First Intake Thread Size:
1.062 inches
First Intake Thready Qty Per Inch (tpi):
12
First Intake Thread Class:
3b
First Intake Thread Direction:
First Intake Thread Direction:

Right-hand

NSN 4330-01-250-2799 Fluid Filter - Page 2 of 2



Filtering System For Which Designed:
Full flow
Special Features:
Pop-up visual indicator
Material:
Rubber buna n seal
Media For Which Designed:
Fuel/oil, hydrocarbon
Surface Treatment:
Anodize body
Style Designator:
High pressure threaded body
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A24000