NSN 4330-01-257-8847

Fluid Filter Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4330-01-257-8847

Mounting Type:

Threaded hole side

Mounting Hole Quantity:

12

Distance Between Mounting Hole Centers:

1.250 inches and 11.750 inches

Wire Diameter:

0.0021 inches

Mesh Size:

200.0

Design Type:

Reusable

Tempurature Rating:

Between -40.0 degrees fahrenheit and 225.0 degrees fahrenheit

Unit Quantity:

2

Features Provided:

By-pass valve and drain plug and magnet and switch-over valve

Filtering Element Quantity:

2

Mounting Facility Thread Series Designator:

Unc

Maximum Operating Pressure:

750.0 pounds per square inch

Filtering Media Design:

Mesh single filtering media response

First Intake Connection Type:

Raised face flange side

Mounting Facility Thread Size:

0.500 inches

First Discharge Connection Relationship To Intake Connection:

Identical to first intake connection

First Intake Flange Outside Diameter:

6.500 inches

First Intake Flange Shape Style:

Round w/unthreaded bolt holes

First Intake Flange Face Style:

Raised

First Intake Flange Thickness:

1.312 inches

First Intake Flange Raised Face Height:

0.375 inches

NSN 4330-01-257-8847

Fluid Filter Assembly - Page 2 of 2



First Intake Flange Raised Face Diameter:

3.312 inches

Filtering System For Which Designed:

Full flow or by-pass flow

Special Features:

74.0 micron elements; 3 psi bypass; electric dirt alarm

Material:

Stainless steel filtering medium

Media For Which Designed:

Fuel/oil, hydrocarbon

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A24000