NSN 4330-01-262-1231

Fluid Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4330-01-262-1231
Mounting Type:
Inlet connection line and outlet connection line
Body Outside Diameter:
17.875 inches
Body Height:
67.500 inches
Filtration Rating In Microns:
0.5
Drop Pressure:
5.0 pounds per square inch
Design Type:
Reusable
Tempurature Rating:
250.0 degrees fahrenheit
Features Provided:
Differential pressure indicator and drain plug
Filtering Element Quantity:
8
Maximum Operating Pressure:
150.0 pounds per square inch
Filtering Media Design:
Pleated single filtering media response
First Intake Connection Type:
Raised face flange upper side
First Discharge Connection Relationship To Intake Connection:
Not identical
First Discharge Connection Type:
Raised face flange bottom side
Distance From Bottom Of Body To Center Of Inlet:
44.750 inches
Center To Center Distance Between Connections:
32.000 inches
First Intake Flange Outside Diameter:
6.000 inches
First Intake Flange Shape Style:
Round w/unthreaded bolt holes
First Discharge Flange Shape Style:
Round w/unthreaded bolt holes
First Discharge Flange Outside Diameter:
6.000 inches

Raised

First Intake Flange Face Style:

NSN 4330-01-262-1231 Fluid Filter - Page 2 of 2



First Discharge Flange Face Style:
Plain swivel w/gasket groove
First Discharge Flange Thickness:
0.750 inches
First Intake Flange Raised Face Diameter:
3.060 inches
Err Default:
Err default
Filtering System For Which Designed:
Full flow
Material:
Rubber buna n seal
Media For Which Designed:
Fuel/oil, hydrocarbon
Style Designator:
Leg mounted body and cover assembly (swing bolted)
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A24000