# NSN 4330-01-262-1231

Fluid Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4330-01-262-1231

## Mounting Type:

Inlet connection line and outlet connection line

### Body Outside Diameter:

17.875 inches

# **Body Height:**

67.500 inches

### **Filtration Rating In Microns:**

0.5

### Drop Pressure:

5.0 pounds per square inch

### Design Type:

Reusable

## **Tempurature Rating:**

250.0 degrees fahrenheit

### **Features Provided:**

Differential pressure indicator and drain plug

## Filtering Element Quantity:

8

## Maximum Operating Pressure:

150.0 pounds per square inch

# Filtering Media Design:

Pleated single filtering media response

## First Intake Connection Type:

Raised face flange upper side

# First Discharge Connection Relationship To Intake Connection:

Not identical

# First Discharge Connection Type:

Raised face flange bottom side

# Distance From Bottom Of Body To Center Of Inlet:

44.750 inches

# Center To Center Distance Between Connections:

32.000 inches

### First Intake Flange Outside Diameter:

6.000 inches

### First Intake Flange Shape Style:

Round w/unthreaded bolt holes

## First Discharge Flange Shape Style:

Round w/unthreaded bolt holes

## First Discharge Flange Outside Diameter:

6.000 inches

First Intake Flange Face Style:

Raised

# NSN 4330-01-262-1231

Fluid Filter - Page 2 of 2



First Discharge Flange Face Style: Plain swivel w/gasket groove First Discharge Flange Thickness: 0.750 inches First Intake Flange Raised Face Diameter: 3.060 inches Err Default: Err default Filtering System For Which Designed: Full flow Material: Rubber buna n seal Media For Which Designed: Fuel/oil, hydrocarbon Style Designator: Leg mounted body and cover assembly (swing bolted) Shelf Life: N/a Unit Of Measure: ---**Demilitarization:** No Fiig: A24000