## NSN 4330-01-291-1818

Fluid Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4330-01-291-1818

**Mounting Type:** Threaded hole top **Mounting Hole Quantity: Body Outside Diameter:** 4.440 inches **Body Height:** 10.420 inches **Filtration Rating In Microns:** 20.0 absolute **Distance Between Mounting Hole Centers:** 1.880 inches and 2.000 inches **Design Type:** Limited **Tempurature Rating:** Between -40.0 degrees fahrenheit and 225.0 degrees fahrenheit **Filtering Element Quantity:** 1 **Mounting Facility Thread Series Designator:** Unc **Maximum Operating Pressure:** 150.0 pounds per square inch Filtering Media Design: Pleated single filtering media response **First Intake Connection Type:** Threaded internal tube head side **Mounting Facility Thread Size:** 0.312 inches First Discharge Connection Relationship To Intake Connection: Identical to first intake connection First Intake Thread Series Designator: First Intake Thread Size: 1.625 inches First Intake Thready Qty Per Inch (tpi): 12 First Intake Thread Class: 3b

**First Intake Thread Direction:** 

Right-hand

Filtering System For Which Designed:

Full flow

## NSN 4330-01-291-1818

Fluid Filter - Page 2 of 2

**Fiig:** A24000



Special Features:
50.0gpm rated; spin-on type
Material:
Rubber buna n seal
Media For Which Designed:
Fuel/oil, hydrocarbon
Style Designator:
Unthreaded shell
Supplementary Features:
May be mtd by connection port on ridged line installation
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No