NSN 4330-01-306-6430

Fluid Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4330-01-306-6430

Mounting Type:
Unthreaded hole bottom
Mounting Hole Diameter:
0.438 inches
Mounting Hole Quantity:
4
Body Outside Diameter:
4.750 inches
Body Height:
26.125 inches
Filtration Rating In Microns:
10.0
Distance Between Mounting Hole Centers:
3.438 inches and 3.938 inches
Design Type:
Reusable
Tempurature Rating:
250.0 degrees fahrenheit
Features Provided:
Magnet and by-pass valve and drain plug
Filtering Element Quantity:
2
Maximum Operating Pressure:
5000.0 pounds per square inch
Filtering Media Design:
Pleated single filtering media response
First Intake Connection Type:
Plain face flange bottom
First Discharge Connection Relationship To Intake Connection:
Identical to first intake connection
First Intake Flange Shape Style:
Rectangular w/unthreaded bolt holes
First Intake Flange Face Style:
Plain
First Intake Flange Thickness:
2.000 inches
First Intake Flange Length:
4.750 inches
First Intake Flange Width:
4.250 inches
Filtering System For Which Designed:

Full flow

NSN 4330-01-306-6430

Fluid Filter - Page 2 of 2

Fiig: A24000



Special Features:
Sub-plate porting, std ports plugged; dirt alarm indicator
Material:
Rubber buna n seal
Media For Which Designed:
Fuel/oil, hydrocarbon
Style Designator:
High pressure threaded body
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No