NSN 4330-01-312-1409

Fluid Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4330-01-312-1409

view Offilite at https://aerobasegroup.com/htsi//4550-01-512-1409
Mounting Type:
Threaded hole top
Mounting Hole Quantity:
2
Body Outside Diameter:
5.380 inches
Body Height:
13.560 inches
Filtration Rating In Microns:
10.0
Drop Pressure:
2.0 pounds per square inch
Differential Pressure:
30.0 pounds per square inch
Distance Between Mounting Hole Centers:
3.190 inches
Design Type:
Reusable
Tempurature Rating:
Between -40.0 degrees fahrenheit and 225.0 degrees fahrenheit
Features Provided:
Differential pressure indicator
Filtering Element Quantity:
1
Mounting Facility Thread Series Designator:
Unc
Maximum Operating Pressure:
100.0 pounds per square inch
Filtering Media Design:
Pleated single filtering media response
First Intake Connection Type:
Threaded internal tube head side
Mounting Facility Thread Size:
0.375 inches
First Discharge Connection Relationship To Intake Connection:
Identical to first intake connection
First Intake Thread Series Designator:
Un
First Intake Thread Size:
1.875 inches
First Intake Thready Qty Per Inch (tpi):

12

NSN 4330-01-312-1409 Fluid Filter - Page 2 of 2



First Intake Thread Class:
2b
First Intake Thread Direction:
Right-hand
Filtering System For Which Designed:
Full flow
Special Features:
Dial indicating pressure gage: no bypass valve; spin-on cartridge; special long element
Material:
Steel body
Media For Which Designed:
Fuel/oil, hydrocarbon
Style Designator:
High pressure threaded body
Shelf Life:
N/a
Unit Of Measure:
-
Demilitarization:
No
Fiig:
A24000