NSN 4330-01-314-4419

Fluid Filter Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4330-01-314-4419

Mounting Type:					
Threaded hole side					
Mounting Hole Quantity:					
12					
Distance Between Mounting Hole Centers:					
1.000 inches and 11.750 inches					
Wire Diameter:					
0.0021 inches					
Mesh Size:					
200.0					
Design Type:					
Reusable					
Tempurature Rating:					
Between -40.0 degrees fahrenheit and 225.0 degrees fahrenheit					
Unit Quantity:					
2					
Features Provided:					
Drain plug and switch-over valve					
Filtering Element Quantity:					
2					
Mounting Facility Thread Series Designator:					
Unc					
Maximum Operating Pressure:					
750.0 pounds per square inch					
Filtering Media Design:					
Mesh single filtering media response					
First Intake Connection Type:					
Raised face flange side					
Mounting Facility Thread Size:					
0.500 inches					
First Discharge Connection Relationship To Intake Connection:					
Identical to first intake connection					
First Intake Flange Outside Diameter:					
6.500 inches					
First Intake Flange Shape Style:					
Round w/unthreaded bolt holes					
First Intake Flange Face Style:					
Raised					
First Intake Flange Thickness:					
0.875 inches					
First Intake Flange Raised Face Height:					

0.062 inches

NSN 4330-01-314-4419

Fluid Filter Assembly - Page 2 of 2



First	Intake	Flange	Raised	Face	Diameter:

3.625 inches

Filtering System For Which Designed:

Full flow

Special Features:

74.0 nom micron element

Material:

Stainless steel filtering medium

Media For Which Designed:

Fuel/oil, hydrocarbon

Shelf Life:

N/a

Unit Of Measure:

__

Demilitarization:

No

Fiig:

A24000