# NSN 4330-01-330-2520

Fluid Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4330-01-330-2520

# Mounting Type:

Threaded hole head

# Mounting Hole Diameter:

0.375 inches

# Mounting Hole Quantity:

4

# **Body Outside Diameter:**

4.000 inches

#### **Body Height:**

8.820 inches

# Filtration Rating In Microns:

10.0

# **Distance Between Mounting Hole Centers:**

2.000 inches and 2.750 inches

# Design Type:

Nonreusable

# Tempurature Rating:

Between -40.0 degrees fahrenheit and 225.0 degrees fahrenheit

# Features Provided:

Differential pressure indicator and drain plug

# **Filtering Element Quantity:**

1

# Mounting Facility Thread Series Designator:

Unc

# Maximum Operating Pressure:

3000.0 pounds per square inch

# Filtering Media Design:

Pleated single filtering media response

# First Intake Connection Type:

Threaded internal pipe head side

# Mounting Facility Thread Size:

16.000 inches

# First Discharge Connection Relationship To Intake Connection:

Identical to first intake connection

# First Intake Thread Series Designator:

Un

First Intake Thread Size:

1.062 inches

# First Intake Thready Qty Per Inch (tpi):

12

First Intake Thread Class:

2b

# NSN 4330-01-330-2520

Fluid Filter - Page 2 of 2



First Intake Thread Direction:

Right-hand

Filtering System For Which Designed:

Full flow

Special Features:

Replaceable sealed indicator

Material:

Cellulose filtering medium

Media For Which Designed:

Fuel/oil, hydrocarbon

Style Designator:

High pressure threaded body

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A24000